

American Society of Anesthesiologists®

## 2023 Sample Qualified Clinical Data Registry (QCDR) Data Capture Form

Anesthesiologist: Date of Service:/		
ASA Physical Status 1 2 3 4 5 6		
□ Same MD, DOS and same patient. State Procedure:		
AQI72: Perioperative Anemia Management (Process)	ABG 41: Upper Extremity Nerve Blockade in Shoulder Surgery (Process)	
Denominator Criteria ☐ G9643: Elective Surgery	Denominator Exclusions  ☐ Age < 18 years ☐ Emergent Cases	
Denominator Exclusions  ☐ 11A80: Surgeon or other non-anesthesia professional clinician completed one or more of the management strategies without direction or assistance from the anesthesia professional.  Denominator Exception	Performance Met  11A83: Upper extremity nerve block performed  Performance Not Met  11A86: Upper extremity nerve block NOT performed	
□ 11A68: Negative preoperative anemia screening result □ 11A69: Documentation of medical or patient reason(s) for not screening for anemia and/or using selected management strategies (e.g., Jehovah's witness, patient refusal, contraindication, etc).	Denominator Exceptions:  ☐ 11A84: Contraindication to/refusal of upper extremity nerve block ☐ 11A85: Surgeon administered upper extremity nerve block	
Performance Met  11A67: Patient was screened for anemia preoperatively AND documentation of one or more selected management strategies used prior to PACU discharge.		
Performance Not Met		
☐ <b>11A70:</b> No preoperative patient screen for anemia OR positive preoperative anemia screening result and no documentation of one or more selected management strategies used prior to PACU discharge.		
AQI68: Obstructive Sleep Apnea: Mitigation Strategies (Process)	AQI56: Use of Neuraxial Techniques and/or Peripheral Nerve Blocks for Total Knee Arthroplasty (TKA) (Process)	
Denominator Criteria		
☐ G9643: Elective Procedure  Denominator Exception	Denominator Exclusions  □ 11A09: Revision of TKA □ 11A10: Prosthesis Removal	
☐ 11A38: Documentation of medical reason(s) for not screening for obstructive sleep apnea and/or documenting the use of two or more mitigation strategies	Denominator Exception ☐ 11A01: Documentation of patient reason(s) for not using either neuraxial anesthesia or a peripheral nerve block	
Performance Met		
☐ 11A26: Positive patient screen for OSA OR existing OSA diagnosis AND documentation of two or more mitigation strategies used prior to PACU discharge	Performance Met  10A78: Neuraxial anesthesia and/or a peripheral nerve block was used	
☐ <b>11A27:</b> Negative patient screen for OSA	Parformance Not Mot	
Performance Not Met	Performance Not Met  10079: Neuravial anesthesia and/or a peripheral perve block was	
☐ 11A28: No patient screen for OSA OR positive OSA screen result and Documentation of less than 2 mitigation strategies	□ <b>10A79:</b> Neuraxial anesthesia and/or a peripheral nerve block was NOT used	

Performance Met	AQI18: Coronary Artery Bypass Graft (CABG): Prolonged Intubation (Outcome)	ABG 43: Use of Capnography for non-Operating Room anesthesia Measure (Process)
Performance Not Met  G8570: Prolonged postoperative intubation (≥24 hours) not required  Performance Met:  11A90: Clinician monitored end-tidal carbon dioxide (ET CO2) using capnography. End-tidal carbon dioxide can be recorded in the medical record with either a qualitative ("+") or quantitative measure (numerical value).  Performance Not Met:  11A91: Clinician did not monitor end-tidal carbon dioxide using capnography  Denominator Exceptions  □ 11A88: Patients receiving anesthesia in an operating room setting		
□ G8570: Prolonged postoperative intubation (≥24 hours) not required  □ 11A90: Clinician monitored end-tidal carbon dioxide (ET CO2) using capnography. End-tidal carbon dioxide can be recorded in the medical record with either a qualitative ("+") or quantitative measure (numerical value).  Performance Not Met: □ 11A91: Clinician did not monitor end-tidal carbon dioxide using capnography  Denominator Exceptions □ 11A88: Patients receiving anesthesia in an operating room setting	·	setting
required  11A90: Clinician monitored end-tidal carbon dioxide (ET CO2) using capnography. End-tidal carbon dioxide can be recorded in the medical record with either a qualitative ("+") or quantitative measure (numerical value).  Performance Not Met:  11A91: Clinician did not monitor end-tidal carbon dioxide using capnography  Denominator Exceptions  11A88: Patients receiving anesthesia in an operating room setting	Performance Not Met	
capnography. End-tidal carbon dioxide can be recorded in the medical record with either a qualitative ("+") or quantitative measure (numerical value).  Performance Not Met:  11A91: Clinician did not monitor end-tidal carbon dioxide using capnography  Denominator Exceptions  11A88: Patients receiving anesthesia in an operating room setting	G8570: Prolonged postoperative intubation (≥24 hours) not	Performance Met:
□ 11A91: Clinician did not monitor end-tidal carbon dioxide using capnography  Denominator Exceptions □ 11A88: Patients receiving anesthesia in an operating room setting	required	capnography. End-tidal carbon dioxide can be recorded in the medical record with either a qualitative ("+") or quantitative
capnography  Denominator Exceptions  □ 11A88: Patients receiving anesthesia in an operating room setting		Performance Not Met:
☐ <b>11A88:</b> Patients receiving anesthesia in an operating room setting		
		Denominator Exceptions
☐ <b>11A89:</b> Patients receiving general anesthesia		☐ <b>11A88:</b> Patients receiving anesthesia in an operating room setting
		☐ <b>11A89:</b> Patients receiving general anesthesia